

NWT – June 2026

LX Patch Plan

Universe 1 – Generics, House Lights, Hot-Power

Universe 2 – Overhead LX1, LX3, LX3, LX4, LX5, Moving Bridge

Universe 3 – FOH, Bridge 1, Bridge 2, Cheeky

Red = Temporary Addresses

| Channel No. | Universe | Address | Fixture Type | Notes |
|-------------|----------|---------|-----------------------------|-------------------------------|
| 1 | 3 | 100 | Rouge Outcast 3 Spot [25ch] | Bridge 2 SR |
| 2 | 3 | 125 | Rouge Outcast 3 Spot [25ch] | Bridge 2 SR |
| 3 | 3 | 150 | Rouge Outcast 3 Spot [25ch] | Bridge 2 SL |
| 4 | 3 | 175 | Rouge Outcast 3 Spot [25ch] | Bridge 2 SL |
| | | | | |
| 50 | 1 | 37 | Source 4 26° | Above SR Doorway |
| 51 | 1 | 205 | Source 4 26° | Above SL Doorway |
| 52 | 1 | 38 | Source 4 25° - 50° | SR Cheeky |
| 53 | 1 | 206 | Source 4 25° - 50° | SL Cheeky |
| 60 | 1 | 25 | Source 4 25° - 50° | SR Cheeky |
| 61 | 1 | 193 | Source 4 25° - 50° | SL Cheeky |
| 62 | 1 | 27 | Source 4 15° - 30° | SR Cheeky |
| 63 | 1 | 195 | Source 4 15° - 30° | SL Cheeky |
| 64 | 1 | 29 | Source 4 15° - 30° | SR Cheeky |
| 65 | 1 | 197 | Source 4 15° - 30° | SL Cheeky |
| 66 | 1 | 259 | Parcan | Bridge 1 Pipe-End SR |
| 67 | 1 | 276 | Parcan | Bridge 1 Pipe-End SL |
| 70 | 1 | 106 | Source 4 15° - 30° | LX 5 Overhead |
| 71 | 1 | 110 | Source 4 15° - 30° | LX 5 Overhead |
| | | | | |
| 101 | 2 | 100 | ColourSource PAR [5ch] | LX1 Overhead ColourSource PAR |
| 102 | 2 | 105 | ColourSource PAR [5ch] | LX1 Overhead ColourSource PAR |
| 103 | 2 | 110 | ColourSource PAR [5ch] | LX1 Overhead ColourSource PAR |

| | | | | |
|------------|---|-----|--|--|
| 104 | 2 | 115 | ColourSource PAR [5ch] | LX1 Overhead ColourSource PAR |
| 105 | 2 | 120 | ColourSource PAR [5ch] | LX3 Overhead ColourSource PAR |
| 106 | 2 | 125 | ColourSource PAR [5ch] | LX3 Overhead ColourSource PAR |
| 107 | 2 | 130 | ColourSource PAR [5ch] | LX3 Overhead ColourSource PAR |
| 108 | 2 | 135 | ColourSource PAR [5ch] | LX3 Overhead ColourSource PAR |
| 109 | 2 | 140 | ColourSource PAR [5ch] | LX3 Overhead ColourSource PAR |
| 110 | 2 | 145 | ColourSource PAR [5ch] | LX3 Overhead ColourSource PAR |
| 111 | 2 | 150 | ColourSource PAR [5ch] | LX5 Overhead ColourSource PAR |
| 112 | 2 | 155 | ColourSource PAR [5ch] | LX5 Overhead ColourSource PAR |
| 113 | 2 | 160 | ColourSource PAR [5ch] | LX5 Overhead ColourSource PAR |
| 114 | 2 | 165 | ColourSource PAR [5ch] | LX5 Overhead ColourSource PAR |
| 115 | 2 | 170 | ColourSource PAR [5ch] | Moving Bridge Overhead ColourSource PAR |
| 116 | 2 | 175 | ColourSource PAR [5ch] | Moving Bridge Overhead ColourSource PAR |
| 117 | 3 | 200 | ColourSource PAR [5ch] | SR Cheeky ColourSource PAR |
| 118 | 3 | 210 | ColourSource PAR [5ch] | SL Cheeky ColourSource PAR |
| 119 | 3 | 205 | ColourSource PAR [5ch] | SR Cheeky ColourSource PAR |
| 120 | 3 | 215 | ColourSource PAR [5ch] | SL Cheeky ColourSource PAR |
| | | | | |
| 201 | 3 | 11 | S4 LED S2 Lustr Direct Fan [10ch] 25° - 50 ° | Bridge 1 USR Front Light |
| 202 | 3 | 22 | S4 LED S2 Lustr Direct Fan [10ch] 25° - 50 ° | Bridge 1 UCS Front Light |
| 203 | 3 | 33 | S4 LED S2 Lustr Direct Fan [10ch] 25° - 50 ° | Bridge 1 USL Front Light |
| 204 | 3 | 44 | S4 LED S2 Lustr Direct Fan [10ch] 15° - 30 ° | Bridge 2 DSR Font Light |
| 205 | 3 | 55 | S4 LED S2 Lustr Direct Fan [10ch] 15° - 30 ° | Bridge 2 DSR Font Light |

| | | | | |
|-------------|---|---------|---|-------------------------------------|
| 206 | 3 | 66 | S4 LED S2 Lustr Direct Fan [10ch] 15°- 30 ° | Bridge 2 DCS Font Light |
| 207 | 3 | 77 | S4 LED S2 Lustr Direct Fan [10ch] 15°- 30 ° | Bridge 2 DSL Font Light |
| 208 | 3 | 88 | S4 LED S2 Lustr Direct Fan [10ch] 15°- 30 ° | Bridge 2 DSL Font Light |
| | | | | |
| 901 | 3 | 501 | Unique Haze | <i>See rider for contra charges</i> |
| 902 | 3 | 503 | Unique Haze | <i>See rider for contra charges</i> |
| 903 | 3 | 505 | MVS Haze [4ch] | <i>See rider for contra charges</i> |
| 904 | 3 | 509 | Smoke | <i>See rider for contra charges</i> |
| | | | | |
| 999 | | | | |
| 990 | 1 | 401 | Houselights (Dimmers) | HR String-Lights |
| 991 | 1 | 402 | Houselights (Dimmers) | HL String-Lights |
| 992 | 1 | 403 | Houselights (Dimmers) | Bridge 2 Birdies |
| 993 | 1 | 404 | Houselights (Dimmers) | Balconies & Doors |
| 994 | 1 | 405 | Houselights (Dimmers) | Stairs |
| 995 | 1 | 406 | Houselights (Dimmers) | Bridge 1 Birdies |
| 996 | 1 | 407 | Houselights (Dimmers) | Bubble Run |
| 997 | 1 | 411 | Workers (Non-Dimming) | Stage Workers |
| 998 | 1 | 412 | Workers (Non-Dimming) | Flys & Wings Workers |
| 999 | 1 | 414 | Workers (Non-Dimming) | Audience Workers |
| | | | | |
| 1000 | 1 | 300-360 | Non-Dim @ 50 | Hot Power (16-Amps) |